Index to Volume 183

A

A1 and A3 adenosine receptors, Adenosine acts as a chemoprotective agent by stimulating G-CSF production: A role for ... 393
Adenosine acts as a chemoprotective agent by stimulating G-CSF production: A role for A1 and A3 adenosine receptors .. 393
Adenovirus-mediated dominant negative H-Ras, Suppression of malignant growth potentials of v-Src-transformed human gallbladder epithelial cells by 221
Adenylate cyclase hemolysin, Adaptive responses of human monocytes infected by *Bordetella pertussis:* The role of 91
α2(I) procollagen gene promoter required for transcriptional activation by TGF-β, Interaction of Smad3 with a proximal Smad-binding element of the human 381
α-methyl-D-glucopyranoside uptake is mediated by protein kinase C-dependent activation of arachidonic acid release in primary cultured rabbit renal proximal tubule cells, High glucose-induced inhibition of 355
Angiogenic activity, Human three-dimensional fibroblast cultures express 74
Ankyrin promotes hyaluronic acid-mediated ovarian tumor cell migration, Interaction between CD44 and the repeat domain of 182
Ansorge, Wilhelm. See Posern, Guido 416
Aphidicolin can retain the nuclear localization of zinc and metallothionein in 3T3-L1 fibroblasts, Delay of M-phase onset by 247
Apoptosis is associated with suppression of insulin-like growth factor binding protein-5 secretion in differentiating murine skeletal myoblasts, Tumor necrosis factor-α–induced 330
Apoptosis of Caco-2 cells during spontaneous and butyrate-induced differentiation, Divergent phenotypic patterns and commitment to 347
Apostolova, Margarita D. and M. George Cherian. Delay of M-phase onset by aphidicolin can retain the nuclear localization of zinc and metallothionein in 3T3-L1 fibroblasts 247
Arachidonic acid release in primary cultured rabbit renal proximal tubule cells, High glucose-induced inhibition of α-methyl-D-glucopyranoside uptake is mediated by protein kinase C-dependent activation of 355
Augenlicht, Leonard H. See Mariadason, John M. 347
Aussel, Christian. See Le Maire, Valérie 65

B

Bachelet, Maria. See Njamkepo, Elisabeth 91
Baek, Sun-Hee, Jin-Na Min, Eun-Mi Park, Mi-Young Han, Yun-Sil Lee, Yong J. Lee, and Young-Mee Park. Role of small heat shock protein HSP25 in radioresistance and glutathione-redox cycle 100
Barer, Faina. See Fishman, Pnina 393
Barkla, David H. See Mariadason, John M. 347
Bar-Yehuda, Sara. See Fishman, Pnina 393
Biancone, Luigi. See Boccellino, Mariarosaria 254
Boccellino, Mariarosaria, Luigi Biancone, Vincenzo Cantaluppi, Richard D. Ye, and Giovanni Camussi. Effect of platelet-activating factor receptor expression on CHO cell motility 254
Bombesin or platelet-derived growth factor, Tyrosine phosphorylation of $p125^{Fak}$, $p130^{Cas}$, and paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by 208
Bone morphogenetic protein-2, N- and E-cadherin mediate early human calvaria osteoblast differentiation promoted by 117
Bordetella pertussis: The role of adenylate cyclase hemolysin, Adaptive responses of human monocytes infected by 91
Bourguignon, Lilly Y.W. See Zhu, Dan 182
Bovenzi, Veronica. See Momparler, Richard L. 145
Bovine mammary epithelial cell line independent of an IGF interaction, Insulin-like growth factor binding protein-3 mediates IGF-I action in a 273
Breast cancer cell lines, Ectopic expression of the ErbB-3 binding protein Ebp1 inhibits growth and induces differentiation of human 321
Breast cell line, Intracellular pH regulation in a nonmalignant and a derived malignant human 373
Briand, Per. See Wahl, Miriam L. 373

C

[^{14}C]Carboplatin in human cisplatin-resistant cells results from reduced energy-dependent uptake, Decreased accumulation of 108
Caco-2 cells during spontaneous and butyrate-induced differentiation, Divergent phenotypic patterns and commitment to apoptosis of 347
Calcium second messenger in vascular smooth muscle cells, Homocyst(e)ine induces 28
Calvaria osteoblast differentiation promoted by bone morphogenetic protein-2, N- and E-cadherin mediate early human 117
cAMP and PKC, Estradiol-17β-BSA stimulates Ca^{2+} uptake through nongenomic pathways in primary rabbit kidney proximal tubule cells: Involvement of 37
Camussi, Giovanni. See Boccellino, Mariarosaria 254
Cancer biology and therapy, New dimensions in 284
Cancer, DNA methylation and 145
Cancer, Regulation of the Cdk inhibitor p27 and its deregulation in 10
Cantaluppi, Vincenzo. See Boccellino, Mariarosaria 254
Carcinogenesis, Role of insulin-like growth factors and their binding proteins in growth control and 1
Carr, Brian I. See Wang, Ziqiu 338
Ca^{2+}, and mitogen-activated protein kinase, Extracellular ATP-mediated phospholipase A_2 activation in rat thyroid FRTL-5 cells: Regulation by a G_i/G_o protein, ... 155
CD44 and the repeat domain of ankyrin promotes hyaluronic acid-mediated ovarian tumor cell migration, Interaction between 182
Cdk inhibitor p27 and its deregulation in cancer, Regulation of the 10
Chanchevalap, Sengthong. See Zhu, Guoyun 53
Chen, Fei. See Wang, Qing Mei 238
Chen, Shu-Jen, Weihua Yuan, Sientay Lo, Maria Trojanowska, and John Varga. Interaction of Smad3 with a proximal Smad-binding element of the human α2(I) procollagen gene promoter required for transcriptional activation by TGF-β 381
Cherian, M. George. See Apostolova, Margarita D. 247
CHO cell motility, Effect of platelet-activating factor receptor expression on 254
Choi, Hyun-Ju. See Han, Ho-Jae 355
Chondrocytes from the ovine fetus, Expression and release of insulin-like growth factor binding proteins in isolated epiphyseal growth plate 172
Cisplatin-resistant cells results from reduced energy-dependent uptake, Decreased accumulation of [^{14}C]carboplatin in human 108
Cittadini, Achille. See Sgambato, Alessandro 18
CKβ-8 CCL23], a novel CC chemokine, is chemotactic for human osteoclast precursors and is expressed in bone tissues 196
Clemow, David B., William D. Steers, and Jeremy B. Tuttle. Stretch-activated signaling of nerve growth factor secretion in bladder and vascular smooth muscle cells from hypertensive and hyperactive rats 289
CO_2 inhibits specific inward rectifier K^+ channels by decreases in intra- and extracellular pH 53
Coffman, Frederick D. See Wang, Qing Mei 238
Cohen, Pinchas. See Grimberg, Adda 1
Cohick, Wendie S. See Grill, Constance J. 273
Connexins into homomeric and heteromeric gap junction hemichannels in the mouse mammary gland, Developmental expression and assembly of 228
Connor, Janice R. See Votta, Bartholomew J. 196
Copani, A. See Frati, C. 364

D

de Los Rios, P. and D.J. Hill. Expression and release of insulin-like growth factor binding proteins in isolated epiphyseal growth plate chondrocytes from the ovine fetus 172
DNA methylation and cancer 145
Dodds, Robert A. See Votta, Bartholomew J. 196
Dugué, Benoit. See Ekokoski, Elina 155
Duronio, Vincent. See Sayed, Mohamed R. 314

E

Ectopic expression of the ErbB-3 binding protein Ebp1 inhibits growth and induces differentiation of human breast cancer cell lines 321
Eichman, Christopher F. See Votta, Bartholomew J. 196
Eisenman, Robert N. See Pulverer, Bernd 399
Ekindjian, Ohvanesse G. See Le Maire, Valérie 65
Ekokoski, Elina, Benoit Dugué, Minna Vainio, Petri J. Vainio, and Kid Törnquist. Extracellular ATP-mediated phospholipase A_2 activation in rat thyroid FRTL-5 cells: Regulation by a G_i/G_o protein, Ca^{2+}, and mitogen-activated protein kinase 155
El Haj, A.J. See Said Ahmed, M.A.A. 163
Epidermal growth factor signaling pathway influences retinoid metabolism by reduction of retinyl ester hydrolase activities in normal and malignant keratinocytes 265
Esophageal carcinoma, Grb7 signal transduction protein mediates metastatic progression of 411
Estradiol-17β-BSA stimulates Ca^{2+} uptake through nongenomic pathways in primary rabbit kidney proximal tubule cells: Involvement of cAMP and PKC 37
Ethier, Stephen P. See Ram, Tracy G. 301
Evans, W. Howard. See Locke, Darren 228
Extracellular ATP-mediated phospholipase A_2 activation in rat thyroid FRTL-5 cells: Regulation by a G_i/G_o protein, Ca^{2+}, and mitogen-activated protein kinase 155

F

Faraglia, Beatrice. See Sgambato, Alessandro 18
Farbstein, Tamar. See Fishman, Pnina 393
Feller, Stephan M. See Posern, Guido 416
Fibroblast cultures express angiogenic activity, Human three-dimensional 74
Fishman, Pnina, Sara Bar-Yehuda, Tamar Farbstein, Faina Barer, and Gil Ohana. Adenosine acts as a chemoprotective agent by stimulating G-CSF production: A role for A1 and A3 adenosine receptors 393
Fisichella, G. See Frati, C. 364
François, Dominique. See Njamkepo, Elisabeth 91
Frati, C., C. Marchese, G. Fisichella, A. Copani, M.R. Nasca, M. Storto, and F. Nicoletti. Expression of functional mGlu5 metabotropic glutamate receptors in human melanocytes ... 364

G

G-CSF production: A role for A1 and A3 adenosine receptors, Adenosine acts as a chemoprotective agent by stimulating .. 393
Gibson, Peter R. See Mariadason, John M. 347
G_i/G_o protein, Ca^{2+}, and mitogen-activated protein kinase, Extracellular ATP-mediated phospholipase A_2 activation in rat thyroid FRTL-5 cells: Regulation by a 155
Giordano, Giovan Giacomo, Luca Sigalotti, and Michele Maio. New dimensions in cancer biology and therapy 284
Glutathione-redox cycle, Role of small heat shock protein HSP25 in radioresistance and 100
Goldenberg, Sarah. See Shen, Ding-Wu 108
Gottesman, Michael M. See Shen, Ding-Wu 108
Gowen, Maxine. See Votta, Bartholomew J. 196
Grb7 signal transduction protein mediates metastatic progression of esophageal carcinoma 411
Greene, James J. See Hutter, Dorothy 45
Grill, Constance J. and Wendie S. Cohick. Insulin-like growth factor binding protein-3 mediates IGF-I action in a bovine mammary epithelial cell line independent of an IGF interaction 273
Grimberg, Adda and Pinchas Cohen. Role of insulin-like growth factors and their binding proteins in growth control and carcinogenesis 1
Growth control and carcinogenesis, Role of insulin-like growth factors and their binding proteins in 1
Guiso, Nicole. See Njamkepo, Elisabeth 91

H

Hamburger, Anne W. See Lessor, Tracy J. 321
Han, Ho-Jae, Hyun-Ju Choi, and Soo-Hyun Park. High glucose-induced inhibition of α-methyl-D-glucopyranoside uptake is mediated by protein kinase C-dependent activation of arachidonic acid release in primary cultured rabbit renal proximal tubule cells 355
Han, Ho-Jae, Yeune-Hee Lee, and Soo-Hyun Park. Estradiol-17β-BSA stimulates Ca^{2+} uptake through nongenomic pathways in primary rabbit kidney proximal tubule cells: Involvement of cAMP and PKC 37
Han, Mi-Young. See Baek, Sun-Hee 100
Harrison, Lawrence E. See Wang, Qing Mei 238
Haÿ, Eric, Jérome Lemonnier, Dominique Modrowski, Abderrahim Lomri, Françoise Lasmoles, and Pierre J. Marie. N- and E-cadherin mediate early human calvaria osteoblast differentiation promoted by bone morphogenetic protein-2 117
Hayden, Melvin R. See Mujumdar, Vibhas S. 28
Heat-shock transcription factor 1, Sensitization of tumor cells to Fas killing through overexpression of 425
Hepatocyte epidermal growth factor receptor mediated activation of mitogen-activated protein kinase signaling pathways in response to growth inhibition by a novel K vitamin, Involvement of 338
Heregulin-β is especially potent in activating phosphatidylinositol 3-kinase in nontransformed human mammary epithelial cells 301
Hernvann, Alain. See Le Maire, Valérie 65
Hill, D.J. See de Los Rios, P. 172
Holly, Jeff M.P. See Meadows, Kate A. 330
Homocyst(e)ine induces calcium second messenger in vascular smooth muscle cells 28
Hormonal regulation of $[Ca^{2+}]_i$ in periosteal-derived osteoblasts: Effects of parathyroid hormone, $1,25(OH)_2D_3$ and prostaglandin E_2 163
Hosick, Howard L. See Ram, Tracy G. 301
HSP25 in radioresistance and glutathione-redox cycle, Role of small heat shock protein 100
Hutter, Dorothy and James J. Greene. Influence of the cellular redox state on NF-κB-regulated gene expression 45

I

IGF-I action in a bovine mammary epithelial cell line independent of an IGF interaction, Insulin-like growth factor binding protein-3 mediates 273
Inomoto, Takuya. See Togawa, Kazumi 129
Insulin-like growth factor binding protein-3 mediates IGF-I action in a bovine mammary epithelial cell line independent of an IGF interaction 273
Insulin-like growth factor binding protein-5 secretion in differentiating murine skeletal myoblasts, Tumor necrosis factor-α–induced apoptosis is associated with suppression of 330
Insulin-like growth factor binding proteins in isolated epiphyseal growth plate chondrocytes from the ovine fetus, Expression and release of 172
Insulin-like growth factors and their binding proteins in growth control and carcinogenesis, Role of 1
Interaction of Smad3 with a proximal Smad-binding element of the human α2(I) procollagen gene promoter required for transcriptional activation by TGF-β 381

Intestinal cell kinase (ICK) localizes to the crypt region and requires a dual phosphorylation site found in map kinases .. 129
Intracellular pH regulation in a nonmalignant and a derived malignant human breast cell line 373

J

James, Ian E. See Votta, Bartholomew J. 196
Jayatilake, Hiran. See Locke, Darren 228
Jiang, Chun. See Zhu, Guoyun 53
Jurukovski, Vladimir and Marcia Simon. Epidermal growth factor signaling pathway influences retinoid metabolism by reduction of retinyl ester hydrolase activities in normal and malignant keratinocytes 265

K

Kajiya, Hiroshi, Koji Okabe, Fujio Okamoto, Takashi Tsuzuki, and Hiroyuki Soeda. Protein tyrosine kinase inhibitors increase cytosolic calcium and inhibit actin organization as resorbing activity in rat osteoclasts 83
Kawaguchi, Hidetoshi. See Tanaka, Shinji 411
Keratinocytes, Epidermal growth factor signaling pathway influences retinoid metabolism by reduction of retinyl ester hydrolase activities in normal and malignant 265
Kumar, Sanjay. See Votta, Bartholomew J. 196

L

Lamellipodia formation in nerve growth factor-stimulated PC12 cells is dependent on Rac and PI3K activity, Rapid 416
Lark, Michael W. See Votta, Bartholomew J. 196
Lasmoles, Françoise. See Haÿ, Eric 117
Lee, Yeune-Hee. See Han, Ho-Jae 37
Lee, Yong J. See Baek, Sun-Hee 100
Lee, Yun-Sil. See Baek, Sun-Hee 100
Leeper, Dennis B. See Wahl, Miriam L. 373
Lee-Rykaczewski, Elizabeth. See Votta, Bartholomew J. 196
Le Maire, Valérie, Egle Solito, Françoise Russo-Marie, Alain Hernvann, Hervé Le Marechal, Ohvanesse G. Ekindjian, and Christian Aussel. System A neutral amino acid transporter regulation by interleukin-1β in human osteoarthritic synovial cells: Evidence for involvement of prostaglandin E_2 as a second messenger 65
Le Marechal, Hervé. See Le Maire, Valérie 65
Lemonnier, Jérome. See Haÿ, Eric 117
Leopoldt, Daniela, Hal F., Jr. Yee, Sammy Saab, and Enrique Rozengurt. Tyrosine phosphorylation of $p125^{Fak}$, $p130^{Cas}$, and paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by bombesin or platelet-derived growth factor 208
Lessor, Tracy J., Joo-Yeon Yoo, Xianmin Xia, Nicholas Woodford, and Anne W. Hamburger. Ectopic expression of the ErbB-3 binding protein Ebp1 inhibits growth and induces differentiation of human breast cancer cell lines 321
Liu, Congxiao. See Zhu, Guoyun 53
Liu, Kang. See Pinney, Emmett 74
Lo, Sientay. See Chen, Shu-Jen 381
Locke, Darren, Nina Perusinghe, Terry Newman, Hiran Jayatilake, W. Howard Evans, and Paul Monaghan. Developmental expression and assembly of connexins into homomeric and heteromeric gap junction hemichannels in the mouse mammary gland 228
Lomri, Abderrahim. See Haÿ, Eric 117
Lüscher, Bernhard. See Pulverer, Bernd 399

M

Maio, Michele. See Giordano, Giovan Giacomo 284
Mammary epithelial cells, Heregulin-β is especially potent in activating phosphatidylinositol 3-kinase in nontransformed human 301
Mansbridge, Jonathan. See Pinney, Emmett 74
Map kinases, Intestinal cell kinase (ICK) localizes to the crypt region and requires a dual phosphorylation site found in ... 129
Marchese, C. See Frati, C. 364
Mariadason, John M., Kurt L. Rickard, David H. Barkla, Leonard H. Augenlicht, and Peter R. Gibson. Divergent phenotypic patterns and commitment to apoptosis of Caco-2 cells during spontaneous and butyrate-induced differentiation ... 347
Marie, Pierre J. See Haÿ, Eric 117
McArthur, Grant A. See Pulverer, Bernd 399
Meadows, Kate A., Jeff M.P. Holly, and Claire E.H. Stewart. Tumor necrosis factor-α–induced apoptosis is associated with suppression of insulin-like growth factor binding protein-5 secretion in differentiating murine skeletal myoblasts 330
Melanocytes, Expression of functional mGlu5 metabotropic glutamate receptors in human 364
Metallothionein in 3T3-L1 fibroblasts, Delay of M-phase onset by aphidicolin can retain the nuclear localization of zinc and ... 247
mGlu5 metabotropic glutamate receptors in human melanocytes, Expression of functional 364
Min, Jin-Na. See Baek, Sun-Hee 100
Mitogen-activated protein kinase, Extracellular ATP-mediated phospholipase A_2 activation in rat thyroid FRTL-5 cells: Regulation by a G_i/G_o protein, Ca^{2+}, and 155
Mitogen-activated protein kinase signaling pathways in response to growth inhibition by a novel K vitamin, Involvement of hepatocyte epidermal growth factor receptor mediated activation of 338
Modrowski, Dominique. See Haÿ, Eric 117
Momparler, Richard L. and Veronica Bovenzi. DNA methylation and cancer 145
Monaghan, Paul. See Locke, Darren 228
M-phase onset by aphidicolin can retain the nuclear localization of zinc and metallothionein in 3T3-L1 fibroblasts, Delay of .. 247
Mujumdar, Vibhas S., Melvin R. Hayden, and Suresh C. Tyagi. Homocyst(e)ine induces calcium second messenger in vascular smooth muscle cells 28
Myc/Max/Mad network members in adipogenesis: Inhibition of the proliferative burst and differentiation by ectopically expressed Mad1, Analysis of 399

N

N- and E-cadherin mediate early human calvaria osteoblast differentiation promoted by bone morphogenetic protein-2 .. 117
Nakano, Shuji. See Tokumitsu, Youichiro 221
Nasca, M.R. See Frati, C. 364
Nerve growth factor secretion in bladder and vascular smooth muscle cells from hypertensive and hyperactive rats, Stretch-activated signaling of 289
Newman, Terry. See Locke, Darren 228
NF-κB-regulated gene expression, Influence of the cellular redox state on 45
Nicoletti, F. See Frati, C. 364
Niho, Yoshiyuki. See Tokumitsu, Youichiro 221
Njamkepo, Elisabeth, Françoise Pinot, Dominique François, Nicole Guiso, Barbara S. Polla, and Maria Bachelet. Adaptive responses of human monocytes infected by *Bordetella pertussis:* The role of adenylate cyclase hemolysin 91
Novel K vitamin, Involvement of hepatocyte epidermal growth factor receptor mediated activation of mitogen-activated protein kinase signaling pathways in response to growth inhibition by a 338

O

$1,25(OH)_2D_3$ and prostaglandin E_2, Hormonal regulation of $[Ca^{2+}]_i$ in periosteal-derived osteoblasts: Effects of parathyroid hormone, ... 163
Ohana, Gil. See Fishman, Pnina 393

Ohno, Shinji. See Tanaka, Shinji 411
Okabe, Koji. See Kajiya, Hiroshi 83
Okamoto, Fujio. See Kajiya, Hiroshi 83
Osteoblasts: Effects of parathyroid hormone, 1,25$(OH)_2D_3$ and prostaglandin E_2, Hormonal regulation of $[Ca^{2+}]_i$ in periosteal-derived 163
Ovarian tumor cell migration, Interaction between CD44 and the repeat domain of ankyrin promotes hyaluronic acid-mediated 182
Overexpression of heat-shock transcription factor 1, Sensitization of tumor cells to Fas killing through 425
Ovine fetus, Expression and release of insulin-like growth factor binding proteins in isolated epiphyseal growth plate chondrocytes from the 172
Owen, Charles S. See Wahl, Miriam L. 373

P

$p27^{Kip1}$ and its alterations in tumor cells: A review, Multiple functions of 18
p53/56 lyn Antisense shifts the 1,25-dihydroxyvitamin D3–induced G1/S block in HL60 cells to S phase
$p125^{Fak}$, $p130^{Cas}$, and paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by bombesin or platelet-derived growth factor, Tyrosine phosphorylation of 208
$p130^{Cas}$, and paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by bombesin or platelet-derived growth factor, Tyrosine phosphorylation of $p125^{Fak}$, ... 208
Pagano, M. See Slingerland, J. 10
Papas, Takis S. In memoriam 141
Parathyroid hormone, 1,25$(OH)_2D_3$ and prostaglandin E_2, Hormonal regulation of $[Ca^{2+}]_i$ in periosteal-derived osteoblasts: Effects of 163
Park, Eun-Mi. See Baek, Sun-Hee 100
Park, Soo-Hyun. See Han, Ho-Jae 37, 355
Park, Young-Mee. See Baek, Sun-Hee 100
Pastan, Ira. See Shen, Ding-Wu 108
Paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by bombesin or platelet-derived growth factor, Tyrosine phosphorylation of $p125^{Fak}$, $p130^{Cas}$, and 208
PC12 cells is dependent on Rac and PI3K activity, Rapid lamellipodia formation in nerve growth factor-stimulated 416
Perusinghe, Nina. See Locke, Darren 228
Phenotypic patterns and commitment to apoptosis of Caco-2 cells during spontaneous and butyrate-induced differentiation, Divergent 347
Phosphatidylinositol 3-kinase in nontransformed human mammary epithelial cells, Heregulin-β is especially potent in activating 301
Phosphorylation site found in map kinases, Intestinal cell kinase (ICK) localizes to the crypt region and requires a dual 129
PI3K activity, Rapid lamellipodia formation in nerve growth factor-stimulated PC12 cells is dependent on Rac and 416
Pinney, Emmett, Kang Liu, Brina Sheeman, and Jonathan Mansbridge. Human three-dimensional fibroblast cultures express angiogenic activity 74
Pinot, Françoise. See Njamkepo, Elisabeth 91
Platelet-activating factor receptor expression on CHO cell motility, Effect of 254
Platelet-derived growth factor, Tyrosine phosphorylation of p125 Fak, p130 Cas, and paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by bombesin or 208
Polla, Barbara S. See Njamkepo, Elisabeth 91
Pooler, Patricia M. See Wahl, Miriam L. 373
Posern, Guido, Rainer Saffrich, Wilhelm Ansorge, and Stephan M. Feller. Rapid lamellipodia formation in nerve growth factor-stimulated PC12 cells is dependent on Rac and PI3K activity 416
Prostaglandin E_2 as a second messenger, System A neutral amino acid transporter regulation by interleukin-1β in human osteoarthritic synovial cells: Evidence for involvement of 65
Prostaglandin E_2, Hormonal regulation of $[Ca^{2+}]_i$ in periosteal-derived osteoblasts: Effects of parathyroid hormone, 1,25$(OH)_2D_3$ and 163
Protein kinase C-dependent activation of arachidonic acid release in primary cultured rabbit renal proximal tubule cells, High glucose-induced inhibition of α-methyl-D-glucopyranoside uptake is mediated by 355
Protein tyrosine kinase inhibitors increase cytosolic calcium and inhibit actin organization as resorbing activity in rat osteoclasts 83
Publicover, S.J. See Said Ahmed, M.A.A. 163
Pulverer, Bernd, Anette Sommer, Grant A. McArthur, Robert N. Eisenman, and Bernhard Lüscher. Analysis of Myc/Max/Mad network members in adipogenesis: Inhibition of the proliferative burst and differentiation by ectopically expressed Mad1 399

Q

Qu, Zhiqiang. See Zhu, Guoyun 53

R

Rac and PI3K activity, Rapid lamellipodia formation in nerve growth factor-stimulated PC12 cells is dependent on 416
Radioresistance and glutathione-redox cycle, Role of small heat shock protein HSP25 in 100
Ram, Tracy G., Howard L. Hosick, and Stephen P. Ethier. Heregulin-β is especially potent in activating phosphatidylinositol 3-kinase in nontransformed human mammary epithelial cells 301
Rat osteoclasts, Protein tyrosine kinase inhibitors increase cytosolic calcium and inhibit actin organization as resorbing activity in 83
Rat thyroid FRTL-5 cells: Regulation by a G_i/G_o protein, Ca^{2+}, and mitogen-activated protein kinase, Extracellular ATP-mediated phospholipase A_2 activation in 155
Rectifier K^+ channels by decreases in intra- and extracellular pH, CO_2 inhibits specific inward 53
Renal proximal tubule cells, High glucose-induced inhibition of α-methyl-D-glucopyranoside uptake is mediated by protein kinase C-dependent activation of arachidonic acid release in primary cultured rabbit 355
Resorbing activity in rat osteoclasts, Protein tyrosine kinase inhibitors increase cytosolic calcium and inhibit actin organization as 83
Rickard, Kurt L. See Mariadason, John M. 347
Rozengurt, Enrique. See Leopoldt, Daniela 208
Russo-Marie, Françoise. See Le Maire, Valérie 65
Rustgi, Anil K. See Togawa, Kazumi 129

S

Saab, Sammy. See Leopoldt, Daniela 208
Saeki, Hiroshi. See Tanaka, Shinji 411
Saffrich, Rainer. See Posern, Guido 416
Said Ahmed, M.A.A., L.M. Walker, S.J. Publicover, and A.J. El Haj. Hormonal regulation of $[Ca^{2+}]_i$ in periosteal-derived osteoblasts: Effects of parathyroid hormone, 1,25$(OH)_2D_3$ and prostaglandin E_2 163
Sayed, Mohamed R., Michael P. Sheid, Christiaan M. Stevens, and Vincent Duronio. Thrombin-stimulated phosphatidylinositol 3-kinase activity in platelets is associated with activation of PYK2 tyrosine kinase: Activation of both enzymes is aggregation independent 314
Sensitization of tumor cells to Fas killing through overexpression of heat-shock transcription factor 1 425
Sgambato, Alessandro, Achille Cittadini, Beatrice Faraglia, and Bernard Weinstein. Multiple functions of $p27^{Kip1}$ and its alterations in tumor cells: A review 18

Sheeman, Brina. See Pinney, Emmett 74
Sheid, Michael P. See Sayed, Mohamed R. 314
Shen, Ding-Wu, Sarah Goldenberg, Ira Pastan, and Michael M. Gottesman. Decreased accumulation of [^{14}C]carboplatin in human cisplatin-resistant cells results from reduced energy-dependent uptake 108
Sigalotti, Luca. See Giordano, Giovan Giacomo 284
Simon, Marcia. See Jurukovski, Vladimir 265
Slaugenhaupt, Susan. See Togawa, Kazumi 129
Slingerland, J. and M. Pagano. Regulation of the Cdk inhibitor p27 and its deregulation in cancer 10
Smad3 with a proximal Smad-binding element of the human α2(I) procollagen gene promoter required for transcriptional activation by TGF-β, Interaction of 381
Soeda, Hiroyuki. See Kajiya, Hiroshi 83
Solito, Egle. See Le Maire, Valérie 65
Sommer, Anette. See Pulverer, Bernd 399
Spector, Neil L. See Xia, Wenle 425
Steers, William D. See Clemow, David B. 289
Stevens, Christiaan M. See Sayed, Mohamed R. 314
Stewart, Claire E.H. See Meadows, Kate A. 330
Storto, M. See Frati, C. 364
Stretch-activated signaling of nerve growth factor secretion in bladder and vascular smooth muscle cells from hypertensive and hyperactive rats 289
Studzinski, George P. See Wang, Qing Mei 238
Sugimachi, Keishi. See Tanaka, Shinji 411
Sugimachi, Keizo. See Tanaka, Shinji 411
Suppression of malignant growth potentials of v-Src-transformed human gallbladder epithelial cells by adenovirus-mediated dominant negative H-Ras 221
Swiss 3T3 cells stimulated by bombesin or platelet-derived growth factor, Tyrosine phosphorylation of p125^{Fak}, p130^{Cas}, and paxillin does not require extracellular signal-regulated kinase activation in 208
System A neutral amino acid transporter regulation by interleukin-1β in human osteoarthritic synovial cells: Evidence for involvement of prostaglandin E_2 as a second messenger 65

T

3T3-L1 fibroblasts, Delay of M-phase onset by aphidicolin can retain the nuclear localization of zinc and metallothionein in 247
Tanaka, Shinji, Keishi Sugimachi, Hidetoshi Kawaguchi, Hiroshi Saeki, Shinji Ohno, Jack R. Wands, and Keizo Sugimachi. Grb7 signal transduction protein mediates metastatic progression of esophageal carcinoma 411
TGF-β, Interaction of Smad3 with a proximal Smad-binding element of the human α2(I) procollagen gene promoter required for transcriptional activation by 381
Thrombin-stimulated phosphatidylinositol 3-kinase activity in platelets is associated with activation of PYK2 tyrosine kinase: Activation of both enzymes is aggregation independent 314
Togawa, Kazumi, Yu-Xin Yan, Takuya Inomoto, Susan Slaugenhaupt, and Anil K. Rustgi. Intestinal cell kinase (ICK) localizes to the crypt region and requires a dual phosphorylation site found in map kinases 129
Tokumitsu, Youichiro, Shuji Nakano, Hikaru Ueno, and Yoshiyuki Niho. Suppression of malignant growth potentials of v-Src-transformed human gallbladder epithelial cells by adenovirus-mediated dominant negative H-Ras 221
Törnquist, Kid. See Ekokoski, Elina 155
Trojanowska, Maria. See Chen, Shu-Jen 381
Tsuzuki, Takashi. See Kajiya, Hiroshi 83
Tumor necrosis factor-α–induced apoptosis is associated with suppression of insulin-like growth factor binding protein-5 secretion in differentiating murine skeletal myoblasts 330
Tuttle, Jeremy B. See Clemow, David B. 289
Tyagi, Suresh C. See Mujumdar, Vibhas S. 28
Tyrosine phosphorylation of p125^{Fak}, p130^{Cas}, and paxillin does not require extracellular signal-regulated kinase activation in Swiss 3T3 cells stimulated by bombesin or platelet-derived growth factor 208

U

Ueno, Hikaru. See Tokumitsu, Youichiro 221

V

Vainio, Minna. See Ekokoski, Elina 155
Vainio, Petri J. See Ekokoski, Elina 155
Varga, John. See Chen, Shu-Jen 381
Vascular smooth muscle cells, Homocyst(e)ine induces calcium second messenger in 28
Voellmy, Richard. See Xia, Wenle 425
Votta, Bartholomew J., John R. White, Robert A. Dodds, Ian E. James, Janice R. Connor, Elizabeth Lee-Rykaczewski, Christopher F. Eichman, Sanjay Kumar, Michael W. Lark, and Maxine Gowen. CKβ-8 [CCL23], a novel CC chemokine, is chemotactic for human osteoclast precursors and is expressed in bone tissues 196

W

Wahl, Miriam L., Patricia M. Pooler, Per Briand, Dennis B. Leeper, and Charles S. Owen. Intracellular pH regulation in a nonmalignant and a derived malignant human breast cell line 373
Walker, L.M. See Said Ahmed, M.A.A. 163
Wands, Jack R. See Tanaka, Shinji 411
Wang, Meifang. See Wang, Ziqiu 338
Wang, Qing Mei, George P. Studzinski, Fei Chen, Frederick D. Coffman, and Lawrence E. Harrison. p53/56 lyn Antisense shifts the 1,25-dihydroxyvitamin D3–induced G1/S block in HL60 cells to S phase 238
Wang, Ziqiu, Meifang Wang, and Brian I. Carr. Involvement of hepatocyte epidermal growth factor receptor mediated activation of mitogen-activated protein kinase signaling pathways in response to growth inhibition by a novel K vitamin 338
Weinstein, Bernard. See Sgambato, Alessandro 18
White, John R. See Votta, Bartholomew J. 196
Woodford, Nicholas. See Lessor, Tracy J. 321

X

Xia, Wenle, Richard Voellmy, and Neil L. Spector. Sensitization of tumor cells to Fas killing through overexpression of heat-shock transcription factor 1 425
Xia, Xianmin. See Lessor, Tracy J. 321
Xu, Haoxing. See Zhu, Guoyun 53

Y

Yan, Yu-Xin. See Togawa, Kazumi 129
Ye, Richard D. See Boccellino, Mariarosaria 254
Yee, Hal F., Jr. See Leopoldt, Daniela 208
Yoo, Joo-Yeon. See Lessor, Tracy J. 321
Yuan, Weihua. See Chen, Shu-Jen 381

Z

Zhu, Dan and Lilly Y.W. Bourguignon. Interaction between CD44 and the repeat domain of ankyrin promotes hyaluronic acid-mediated ovarian tumor cell migration 182
Zhu, Guoyun, Congxiao Liu, Zhiqiang Qu, Sengthong Chanchevalap, Haoxing Xu, and Chun Jiang. CO_2 inhibits specific inward rectifier K^+ channels by decreases in intra- and extracellular pH 53
Zinc and metallothionein in 3T3-L1 fibroblasts, Delay of M-phase onset by aphidicolin can retain the nuclear localization of 247

JOURNAL OF CELLULAR PHYSIOLOGY

ORIGINALLY FOUNDED BY THE WISTAR INSTITUTE

CLAUDIO BASILICO, *Editor-in-Chief*
New York University Medical Center • Department of Microbiology
550 First Avenue, MSB-256 • New York, New York 10016

EDITORS

ROLAND BARON
Depts. of Orthopedics and Cell Biology
Yale University
School of Medicine
333 Cedar Street
New Haven, CT 06510

PAOLO M. COMOGLIO
Institute for Research and
Treatment of Cancer (IRCC)
Department of Biomedical Sciences
Strada Provincale 142, km 3.95
10060 Candiolo (TO), Italy

ANTONIO GIORDANO
(Reviews Editor)
Department of Pathology
Jefferson Medical College
233 S. 10th Street
Philadelphia, PA 19107

FREDERICK R. MAXFIELD
Department of Biochemistry
Cornell Medical College
1300 York Avenue
New York, NY 10032

KOHEI MIYAZONO
The Cancer Institute
Japanese Foundation for Cancer Research
1-37-1 Kami-ikebukuro
Toshima-ku
Tokyo 170, Japan

HARVEY L. OZER
Department of Microbiology and
Molecular Genetics
UMDNJ–New Jersey Medical School
185 South Orange Avenue
Newark, NJ 07103-2714

TONY PAWSON
Samuel Lunenfeld Research Institute
Mount Sinai Hospital
600 University Avenue
Toronto, Ontario M5G 1X5, Canada

DANIEL B. RIFKIN
Department of Cell Biology
New York University Medical Center
550 First Avenue, MSB-650
New York, NY 10016

KENNETH M. YAMADA
Laboratory of Developmental Biology
Building 30, Room 414
National Institute of Dental Health
NIH-Bethesda, MD 20892

EDITORIAL BOARD

PAOLO AMATI
JUDY CAMPISI
LAWRENCE A. CHASIN
STEPHEN C. CLARK
DAVID CLEMMONS
VINCENT J. CRISTOFALO
DENNIS D. CUNNINGHAM
TOM CURRAN
VITTORIO DEFENDI
RIK DERYNCK
GIULIO DRAETTA
DENISE GALLOWAY
DAVID GURWITZ
CARL-HENRIK HELDIN
LAWRENCE E. HIGHTOWER
LUIS JIMENEZ De ASUA
VICTOR LING
DANIEL LOUVARD
EUGENE MARCANTONIO
JOAN MASSAGUE
DONALD METCALF
G.K. MICHALOPOULOS
PAUL NEIMAN
EISUKE NISHIDA
PIER GIUSEPPE PELICCI
JACQUES POUYSSEGUR
CAROL PRIVES
ULF RAPP
GIOVANNI ROVERA
ENRIQUE ROZENGURT
JOSEPH SCHLESSINGER
ERIC STANBRIDGE
GARY S. STEIN
SHOICHIRO TSUKITA
AXEL ULLRICH
JAN T. VILCEK
MITCHEL VILLEREAL

COPYRIGHT © 2000 BY WILEY-LISS, INC.
All Rights Reserved

VOLUME 183
APRIL, MAY, JUNE 2000

VOL. 183 APRIL 2000 No. 1

CONTENTS

REVIEW ARTICLES

ADDA GRIMBERG AND PINCHAS COHEN. Role of Insulin-Like Growth Factors and Their Binding Proteins in Growth Control and Carcinogenesis 1

J. SLINGERLAND AND M. PAGANO. Regulation of the Cdk Inhibitor p27 and Its Deregulation in Cancer 10

ALESSANDRO SGAMBATO, ACHILLE CITTADINI, BEATRICE FARAGLIA, AND I. BERNARD WEINSTEIN. Multiple Functions of $p27^{Kip1}$ and Its Alterations in Tumor Cells: A Review . . . 18

ORIGINAL ARTICLES

VIBHAS S. MUJUMDAR, MELVIN R. HAYDEN, AND SURESH C. TYAGI. Homocyst(e)ine Induces Calcium Second Messenger in Vascular Smooth Muscle Cells 28

HO-JAE HAN, YEUNE-HEE LEE, AND SOO-HYUN PARK. Estradiol-17β-BSA Stimulates Ca^{2+} Uptake Through Nongenomic Pathways in Primary Rabbit Kidney Proximal Tubule Cells: Involvement of cAMP and PKC 37

DOROTHY HUTTER AND JAMES J. GREENE. Influence of the Cellular Redox State on NF-κB-Regulated Gene Expression 45

GUOYUN ZHU, CONGXIAO LIU, ZHIQIANG QU, SENGTHONG CHANCHEVALAP, HAOXING XU, AND CHUN JIANG. CO_2 Inhibits Specific Inward Rectifier K^+ Channels by Decreases in Intra- and Extracellular pH 53

VALÉRIE LE MAIRE, EGLE SOLITO, FRANÇOISE RUSSO-MARIE, ALAIN HERNVANN, HERVÉ LE MARECHAL, OHVANESSE G. EKINDJIAN, AND CHRISTIAN AUSSEL. System A Neutral Amino Acid Transporter Regulation by Interleukin-1β in Human Osteoarthritic Synovial Cells: Evidence for Involvement of Prostaglandin E_2 as a Second Messenger 65

EMMETT PINNEY, KANG LIU, BRINA SHEEMAN, AND JONATHAN MANSBRIDGE. Human Three-Dimensional Fibroblast Cultures Express Angiogenic Activity 74

HIROSHI KAJIYA, KOJI OKABE, FUJIO OKAMOTO, TAKASHI TSUZUKI, AND HIROYUKI SOEDA. Protein Tyrosine Kinase Inhibitors Increase Cytosolic Calcium and Inhibit Actin Organization as Resorbing Activity in Rat Osteoclasts 83

ELISABETH NJAMKEPO, FRANÇOISE PINOT, DOMINIQUE FRANÇOIS, NICOLE GUISO, BARBARA S. POLLA, AND MARIA BACHELET. Adaptive Responses of Human Monocytes Infected by *Bordetella pertussis:* The Role of Adenylate Cyclase Hemolysin 91

SUN-HEE BAEK, JIN-NA MIN, EUN-MI PARK, MI-YOUNG HAN, YUN-SIL LEE, YONG J. LEE, AND YOUNG-MEE PARK. Role of Small Heat Shock Protein HSP25 in Radioresistance and Glutathione-Redox Cycle 100

DING-WU SHEN, SARAH GOLDENBERG, IRA PASTAN, AND MICHAEL M. GOTTESMAN. Decreased Accumulation of [^{14}C]Carboplatin in Human Cisplatin-Resistant Cells Results from Reduced Energy-Dependent Uptake 108

ERIC HAŸ, JÉROME LEMONNIER, DOMINIQUE MODROWSKI, ABDERRAHIM LOMRI, FRANÇOISE LASMOLES, AND PIERRE J. MARIE. N- and E-Cadherin Mediate Early Human Calvaria Osteoblast Differentiation Promoted by Bone Morphogenetic Protein-2 . . . 117

KAZUMI TOGAWA, YU-XIN YAN, TAKUYA INOMOTO, SUSAN SLAUGENHAUPT, AND ANIL K. RUSTGI. Intestinal Cell Kinase (ICK) Localizes to the Crypt Region and Requires a Dual Phosphorylation Site Found in Map Kinases 129

In Memoriam 141

Erratum 143

VOL. 183 MAY 2000 NO. 2

CONTENTS

REVIEW ARTICLE

RICHARD L. MOMPARLER AND VERONICA BOVENZI. DNA Methylation and Cancer 145

ORIGINAL ARTICLES

ELINA EKOKOSKI, BENOIT DUGUÉ, MINNA VAINIO, PETRI J. VAINIO, AND KID TÖRNQUIST. Extracellular ATP-Mediated Phospholipase A_2 Activation in Rat Thyroid FRTL-5 Cells: Regulation by a G_i/G_o Protein, Ca^{2+}, and Mitogen-Activated Protein Kinase 155

M.A.A. SAID AHMED, L.M. WALKER, S.J. PUBLICOVER, AND A.J. EL HAJ. Hormonal Regulation of $[Ca^{2+}]_i$ in Periosteal-Derived Osteoblasts: Effects of Parathyroid Hormone, $1,25(OH)_2D_3$ and Prostaglandin E_2 163

P. DE LOS RIOS AND D.J. HILL. Expression and Release of Insulin-Like Growth Factor Binding Proteins in Isolated Epiphyseal Growth Plate Chondrocytes from the Ovine Fetus 172

DAN ZHU AND LILLY Y.W. BOURGUIGNON. Interaction Between CD44 and the Repeat Domain of Ankyrin Promotes Hyaluronic Acid-Mediated Ovarian Tumor Cell Migration 182

BARTHOLOMEW J. VOTTA, JOHN R. WHITE, ROBERT A. DODDS, IAN E. JAMES, JANICE R. CONNOR, ELIZABETH LEE-RYKACZEWSKI, CHRISTOPHER F. EICHMAN, SANJAY KUMAR, MICHAEL W. LARK, AND MAXINE GOWEN. CKβ-8 [CCL23], a Novel CC Chemokine, Is Chemotactic for Human Osteoclast Precursors and Is Expressed in Bone Tissues 196

DANIELA LEOPOLDT, HAL F. YEE, JR., SAMMY SAAB, AND ENRIQUE ROZENGURT. Tyrosine Phosphorylation of $p125^{Fak}$, $p130^{Cas}$, and Paxillin Does Not Require Extracellular Signal-Regulated Kinase Activation in Swiss 3T3 Cells Stimulated by Bombesin or Platelet-Derived Growth Factor 208

YOUICHIRO TOKUMITSU, SHUJI NAKANO, HIKARU UENO, AND YOSHIYUKI NIHO. Suppression of Malignant Growth Potentials of v-Src-Transformed Human Gallbladder Epithelial Cells by Adenovirus-Mediated Dominant Negative H-Ras 221

DARREN LOCKE, NINA PERUSINGHE, TERRY NEWMAN, HIRAN JAYATILAKE, W. HOWARD EVANS, AND PAUL MONAGHAN. Developmental Expression and Assembly of Connexins Into Homomeric and Heteromeric Gap Junction Hemichannels in the Mouse Mammary Gland 228

QING MEI WANG, GEORGE P. STUDZINSKI, FEI CHEN, FREDERICK D. COFFMAN, AND LAWRENCE E. HARRISON. $p53/56^{lyn}$ Antisense Shifts the 1,25-Dihydroxyvitamin D3–Induced G1/S Block in HL60 Cells to S Phase 238

MARGARITA D. APOSTOLOVA AND M. GEORGE CHERIAN. Delay of M-Phase Onset by Aphidicolin Can Retain the Nuclear Localization of Zinc and Metallothionein in 3T3-L1 Fibroblasts 247

MARIAROSARIA BOCCELLINO, LUIGI BIANCONE, VINCENZO CANTALUPPI, RICHARD D. YE, AND GIOVANNI CAMUSSI. Effect of Platelet-Activating Factor Receptor Expression on CHO Cell Motility 254

VLADIMIR JURUKOVSKI AND MARCIA SIMON. Epidermal Growth Factor Signaling Pathway Influences Retinoid Metabolism by Reduction of Retinyl Ester Hydrolase Activities in Normal and Malignant Keratinocytes 265

CONSTANCE J. GRILL AND WENDIE S. COHICK. Insulin-Like Growth Factor Binding Protein-3 Mediates IGF-I Action in a Bovine Mammary Epithelial Cell Line Independent of an IGF Interaction 273

GIOVAN GIACÒMO GIORDANO, LUCA SIGALOTTI, AND MICHELE MAIO. New Dimensions in Cancer Biology and Therapy 284

VOL. 183 JUNE 2000 NO. 3

CONTENTS

ORIGINAL ARTICLES

DAVID B. CLEMOW, WILLIAM D. STEERS, AND JEREMY B. TUTTLE. Stretch-Activated Signaling of Nerve Growth Factor Secretion in Bladder and Vascular Smooth Muscle Cells From Hypertensive and Hyperactive Rats 289

TRACY G. RAM, HOWARD L. HOSICK, AND STEPHEN P. ETHIER. Heregulin-β Is Especially Potent in Activating Phosphatidylinositol 3-Kinase in Nontransformed Human Mammary Epithelial Cells 301

MOHAMED R. SAYED, MICHAEL P. SHEID, CHRISTIAAN M. STEVENS, AND VINCENT DURONIO. Thrombin-Stimulated Phosphatidylinositol 3-Kinase Activity in Platelets Is Associated With Activation of PYK2 Tyrosine Kinase: Activation of Both Enzymes Is Aggregation Independent 314

TRACY J. LESSOR, JOO-YEON YOO, XIANMIN XIA, NICHOLAS WOODFORD, AND ANNE W. HAMBURGER. Ectopic Expression of the ErbB-3 Binding Protein Ebp1 Inhibits Growth and Induces Differentiation of Human Breast Cancer Cell Lines 321

KATE A. MEADOWS, JEFF M.P. HOLLY, AND CLAIRE E.H. STEWART. Tumor Necrosis Factor-α–Induced Apoptosis Is Associated With Suppression of Insulin-Like Growth Factor Binding Protein-5 Secretion in Differentiating Murine Skeletal Myoblasts 330

ZIQIU WANG, MEIFANG WANG, AND BRIAN I. CARR. Involvement of Hepatocyte Epidermal Growth Factor Receptor Mediated Activation of Mitogen-Activated Protein Kinase Signaling Pathways in Response to Growth Inhibition by a Novel K Vitamin . . . 338

JOHN M. MARIADASON, KURT L. RICKARD, DAVID H. BARKLA, LEONARD H. AUGENLICHT, AND PETER R. GIBSON. Divergent Phenotypic Patterns and Commitment to Apoptosis of Caco-2 Cells During Spontaneous and Butyrate-Induced Differentiation 347

HO-JAE HAN, HYUN-JU CHOI, AND SOO-HYUN PARK. High Glucose-Induced Inhibition of α-Methyl-D-Glucopyranoside Uptake Is Mediated by Protein Kinase C-Dependent Activation of Arachidonic Acid Release in Primary Cultured Rabbit Renal Proximal Tubule Cells 355

C. FRATI, C. MARCHESE, G. FISICHELLA, A. COPANI, M.R. NASCA, M. STORTO, AND F. NICOLETTI. Expression of Functional mGlu5 Metabotropic Glutamate Receptors in Human Melanocytes 364

MIRIAM L. WAHL, PATRICIA M. POOLER, PER BRIAND, DENNIS B. LEEPER, AND CHARLES S. OWEN. Intracellular pH Regulation in a Nonmalignant and a Derived Malignant Human Breast Cell Line 373

SHU-JEN CHEN, WEIHUA YUAN, SIENTAY LO, MARIA TROJANOWSKA, AND JOHN VARGA. Interaction of Smad3 With a Proximal Smad-Binding Element of the Human α2(I) Procollagen Gene Promoter Required for Transcriptional Activation by TGF-β . . 381

PNINA FISHMAN, SARA BAR-YEHUDA, TAMAR FARBSTEIN, FAINA BARER, AND GIL OHANA. Adenosine Acts as a Chemoprotective Agent by Stimulating G-CSF Production: A Role for A1 and A3 Adenosine Receptors 393

BERND PULVERER, ANETTE SOMMER, GRANT A. MCARTHUR, ROBERT N. EISENMAN, AND BERNHARD LÜSCHER. Analysis of Myc/Max/Mad Network Members in Adipogenesis: Inhibition of the Proliferative Burst and Differentiation by Ectopically Expressed Mad1 399

SHINJI TANAKA, KEISHI SUGIMACHI, HIDETOSHI KAWAGUCHI, HIROSHI SAEKI, SHINJI OHNO, JACK R. WANDS, AND KEIZO SUGIMACHI. Grb7 Signal Transduction Protein Mediates Metastatic Progression of Esophageal Carcinoma 411

GUIDO POSERN, RAINER SAFFRICH, WILHELM ANSORGE, AND STEPHAN M. FELLER. Rapid Lamellipodia Formation in Nerve Growth Factor-Stimulated PC12 Cells Is Dependent on Rac and PI3K Activity 416

WENLE XIA, RICHARD VOELLMY, AND NEIL L. SPECTOR. Sensitization of Tumor Cells to Fas Killing Through Overexpression of Heat-Shock Transcription Factor 1 425

Index to Volume 183 433